

Energy

natural wastewater treatment

ARM Group Ltd natural wastewater treatment



Whether you're thinking about a new reed bed system, or you just want some timely expert advice about effective operation, we can help.





Harnessing natural technology

ver since natural waste water treatment systems came of age in the 1980s, ARM Ltd has led the way in reed bed and constructed wetland technology.

Working with the UK water companies, councils, contractors, industrial clients and research institutes, we have designed, built and maintained many hundreds of reed bed systems. These range in size from 10m² up to 20,000m², and we have consulted on reed beds of many hundreds of hectares.

Harnessing natural processes, we engineer them to deliver all the advantages of costeffective, versatile and sustainable wastewater treatment – and we guarantee the performance of every system we design and install. As the largest dedicated UK company by far in this specialised field, with a reputation dating back to 1947, ARM brings you unique expertise and experience. We can support you at every stage of the process – from initial planning and design through construction and commissioning to ongoing maintenance – ensuring the optimum performance of your reed bed system.

We continue to pioneer new and innovative ideas. Recent developments include an aggregate recycling system to reduce landfill costs and material usage, and a plough to retrofit FBATM airlines into existing reed beds.

Why use reed beds?

The Chinese used wetlands more than two thousand years ago for their impressive effluent and water treatment capabilities.

Reed beds provide an ideal environment for a wide range of treatment processes. The combination of micro-organisms, plant roots, rhizomes and substrate matrix remove contaminants in a variety of natural ways.

They treat waste water as it flows though the system just like the process in conventional sewage treatment, but without using energy-intensive machinery.

With low maintenance requirements,

low or zero power consumption and a long, productive lifespan, reed bed systems are both proven and sustainable, enhancing any landscape. Their removal mechanisms include settlement, filtration, biological and chemical action, containment and plant uptake. They can reduce levels of soluble organic matter, suspended solids, ammonia, pathogens, hydrocarbons, and metals.

The various types of reed bed can be used in different configurations to treat a variety of pollutants from industrial or municipal sources.

Performance guaranteed

ur reed beds are used at all stages of the sewage treatment process providing primary, secondary and tertiary treatment as well as sludge dewatering.

They can also extend the life of older treatment works by providing a tertiary polish to effluent, bringing it within regulator consent, and saving capital expenditure.

They are increasingly used for tackling industrial effluent. Uses range from treating fire-fighting foam and metal removal from minewater drainage, to reducing ammonia levels in leachate and removing hydrocarbons from groundwater.

Other applications include treatments connected with:

- agriculture
- pharmaceutical
- food processing
- chemicals
- refinery waste
- distillery wastewater
- airport run off
- Sustainable Urban Drainage Systems (SUDS)

They can also be used to create wetland habitats - enhancing bio-diversity.

Whatever the application, we provide contractual guarantees of effectiveness, performance and quality - so you can be sure you're going to get the results you're looking for.







Our comprehensive range of services includes:

Consultancy: feasibility studies, process design, site surveys, landscape design, and advice on managing future changes

Project management: our experienced managers will look after your entire project from conception through to completion.

Design and build: our turnkey service delivers systems on time and within budget, including liaising with regulators and enforcement authorities on your behalf.

Design and supply of materials and equipment: a service we provide on request, for example to framework contractors.

Construction service: using our design or your own, we make it easy for contractors and save our clients significant amounts of money through design reviews based on experience - without compromising quality or performance.

Field services for system maintenance:

we extend the life of your system, bring you peace of mind and help you get the best possible results.

Asset assessment: we evaluate process efficiency, check your system is operating at top performance, and make recommendations.

ARM Group Ltd About Us



ARM Group Ltd, a Staffordshire based privately owned company, is the leading designer and constructor of natural waste water treatment systems and associated technologies for the industrial and municipal waste water treatment market in the UK. The Company is noted for its invention and subsequent commercial development of equipment and processes within its chosen markets.

ARM Group Ltd has been trading since 1947 and was originally involved in development, design, manufacture, and construction within Agricultural Engineering. However, in the late 1980s ARM Group Ltd redefined its objectives and moved its customer and product bases into the global market of wastewater treatment specialising in the use of reed bed/wetland systems.

Today the Company operates out of offices in Rugeley, Staffordshire employing 21 people and using Associates and subcontractors as required.



ARM Group Ltd is broadly divided into seven operating functions these can provide client support either individually, as a team, incorporating the requisite elements, or as a whole providing continuity of support for turnkey solutions from project conception through design construction, commissioning and maintenance, depending on the specific needs of the client. The functions are:

- Sales
- Design
- Project management
- Construction
- Research and Development
- Refurbishment and Maintenance
- Administration



ARM Group Ltd



Experience

For the past 30 years ARM Group Ltd have specialised in reed bed and wetland systems having designed and installed over 700 beds during this period. This provides us with unique and extensive experience of their application, design and construction across the wastewater treatment spectrum. Our experience and knowledge has been accumulated through:

- Design and construction of reed bed systems
- Value engineering optimisation
- Application experience
- Working with academic institutions.
- The international constructed wetlands conference circuit
- Presenting papers
- Personal contact with leading researchers
- Working relationships with leading specialist in specific reed bed applications
- Founder member of the Constructed Wetland Association (CWA)
- Founder member of Global Wetland Technology (GWT)
- Over 1000 reed bed surveys

We have designed and constructed reed beds that provide treatment for:

- Mine water
- BOD and COD reduction
- Methanol removal
- Copper removal
- Pathogens
- Landfill leachate
- Hydrocarbons
- Septic tank waste
- Ammonia
- Surface water run off
- Solids
- Sludge dewatering
- Storm water
- Metals
- Glycol





iatural wastewater treatment

Scottish and Southern Energy, Aldbrough



Vertical flow: Industrial process water

Project

Scottish and Southern Energy, Aldbrough

Location

Aldbrough Gas Storage

Project type

Design and construct

Wastewater type

Industrial, process

Completion date

2006

Treatment system

Passive vertical flow reed bed

Needs

AMEC were contracted to Scottish and Southern Energy to construct and commission an underground gas storage facility at Aldbrough in the East Riding of Yorkshire. Methanol is used as a part of the process and a Methanol Recovery Unit (MRU) allows it to be recycled. The MRU generates a low volume of effluent which is blended with other treated effluents and discharged from site. The effluent carries a relative low level of Methanol and Benzene which needs to be removed from the effluent stream prior to discharge. A number of options were considered for methanol removal

but ultimately a reed bed treatment system was selected as the most suitable for the site, however there was little room available on the site.

| FLOW AND LOADS | INFLUENT AVERAGE | INFLUENT PEAK | DISCHARGE CONSENT |
|-----------------|---------------------|------------------|----------------------|
| Flow (m³/d) | 14.4 | 19.2 | 0.6 |
| Methanol (mg/l) | 200 | 400 | <60 |
| Benzene (mg/l) | 3 | 30 | <45 |
| BOD (mg/l) | - | _ | <1 |

Solution

Methanol is commonly used as a source of carbon in biological wastewater treatment systems which have a nutrient limited influent. So the reduction in methanol would not be an issue. Benzene also can be relatively easily degraded



CASE STUDY continued

Scottish and Southern Energy, Aldbrough



in wetland systems. The main challenge with this project was to design and install a system that would fit in the limited area available. A vertical flow system was selected as it required a much smaller footprint to achieve the required treatment compared to a horizontal flow system solution. Required land take was further reduced by the use of pre-cast concrete wall sections. Thus a 210m² gravel based vertical flow bed was installed planted with *Phragmites australis*.

Benefits

The complex nature of the site, with its operational and safety issues meant that the relatively simplicity of the reed bed treatment solution provided a low maintenance/labour solution with low carbon footprint to mitigate and balance against the



mechanical systems required for other site processes.

This matched the general philosophy of the plant owner/ operators to use sustainable technologies where possible.

The reed bed solution was made viable by the use of the compact vertical flow option.



British Petroleum, Casper

Aerated horizontal subsurface flow: Contaminated groundwater



Project

British Petroleum, Casper

Location

Casper, Wyoming

Project type

Groundwater remediation

Wastewater type

Hydrocarbon contaminated groundwater

Completion date

2003

Treatment

Subsurface flow wetland with forced bed aeration

Need

The former Casper, Wyoming refinery was one of the oldest refineries in the Western United States. It operated from 1908 until 1991. As a result of common management practices during the 80 years of operation, much of the site is underlain with residual hydrocarbons. It has been estimated that 114,000 m³ of hydrocarbons (oil) had leaked into the shallow alluvial aquifer adjacent to the North Platte River.

Solution

BP and the City of Casper agreed to convert the former refinery site into a golf course and office park, with a trail system along the North Platte River. The presence of a large amount of contaminants below the water table created a major challenge. The remediation treatment system needed to handle up to 11,350 m³ per day of gasoline-contaminated groundwater, blend it into the middle of a premier golf course and operate for more than 100 years. Knowing that petroleum hydrocarbons are biodegradable and keeping in mind the cost of pumping groundwater for decades, BP chose a wetland treatment technology as the most appropriate solution. The full-scale wetland had to be capable of operating at 6,000 m³ per day and deal with potential fouling of the wetland media. A cascade aeration system for iron oxidation and a surface flow wetland for iron precipitation were added to the system. To address flow distribution, an innovative radial-flow wetland configuration was adopted This innovative system is the largest remediation wetland in North America.

Benefits

By using new "green" technology, the old refinery site has been transformed from what once seemed destined to remain an unused brownfield, to a community landmark. There is now a beautiful green space adjacent to the City, with amenities including walking trails, a river park, a whitewater kayak course, and an 18 hole golf course. The wetlands are integrated into the golf course water features. When compared to a conventional mechanical plant, construction of an engineered wetland system saved BP \$12.5 million. Over the first 50 years of the site remediation, the lower operating costs associated with constructed wetlands is anticipated to save an additional \$15.7 million.





natural waste water treatment

Forced Bed Aeration (FBA)



Forced Bed Aeration™ compliments and enhances existing reed bed technology, increasing treatment capacity by up to 15 times.






orced Bed Aeration™ (FBA™) is a new wastewater treatment technology which enhances constructed wetland treatment performance. Significantly higher contaminant removal rates are attained along with an increased consistency of performance. Developed in the USA, by our partners Naturally Wallace, FBA™ can be used in both horizontal and vertical flow constructed wetland systems. Blowing air through the wetland system

makes the system oxygen unlimiting increasing the treatment capacity by up to 15 times. This new technology can treat wastewaters high in BOD, SS, NH₄-N and other organic contaminants.

Forced Bed Aeration™ reed beds can reach performance levels which have been unobtainable in standard reed bed systems with less performance variability. Aeration of horizontal and vertical flow reed beds has multiple advantages.





- FBA[™] can completely nitrify wastewater
- FBA[™] systems can be deeper than conventional reed beds therefore taking up 50% less space than passive systems.
- Plants thrive in FBATM systems because the introduced oxygen prevents the formation of toxic products that can stunt plant growth in strongly anaerobic, passive system
- FBATM reed beds can be divided into aerobic and anoxic zones to both nitrify and denitrify.
- FBA[™] reed beds are ideal for treating fluctuating loads such as CSO's and locations with variable occupancy.
- Initial studies indicate FBATM systems have reduced clogging rates extending the operational life of a treatment system.


Pipelines

FBA™ has a unique network of pipelines which provides a constant flow of oxygen into the reed bed. Patented rootguard

technology prevents root rhizomes penetrating the emission points.


Adapting FBA™

FBA[™] can be retrofitted to existing reed bed systems, especially those which are overloaded. This prolongs the life of the reed bed and enhance effluent treatment.



FBATM:

- Improves treatment capability.
- Reduces clogging rates.
- Requires minimum power input.



Graph indicating the treatment performance of an FBA™ wetland system treating cheese production effluent



ARM Group Ltd





n the September 2012 issue of Water & Wastewater Treatment it was reported by the editor that knowledge by the majority of water companies of the condition of their assets is poor. According to the report from the consultancy company E C Harris, some 90% of maintenance in the UK water industry is reactive. Yet it is well known that proactive maintenance will cut costs by upwards of 50%.

Although this is not the case with all water companies we thought it would be an ideal opportunity to offer a simple solution.

ARM Ltd have been designing, constructing, refurbishing and retrofitting reed beds for many of the UK's water companies

for decades. It is for this reason we feel best placed to offer you our new Asset Assessment and Support Package (AASP).

Reed beds are generally tucked away in Sewage Treatment Works and because they provide treatment with minimal maintenance requirements often get overlooked until the works are close to breaching consent. Our Asset Assessment and Support Package will highlight the condition of the system and give an indication of when refurbishment may be required. This allows expenditure to be planned and therefore controlled and ensures the works performs to its full capability.









Our Asset Assessment and Support Package works in two ways:

1. Asset Assessment

Visual Appraisal

- Condition of the reeds
- Extent of sludge build up on and in the gravel matrix
- Condition of the flow path
- Site layout and accessibility
- Photographic evidence

Fitness for Purpose

- Review design basis, 'as built' drawings and O & M Manual
- Review current and future loads and recent performance data

Monitoring program

 Sampling and monitoring program to include influent flows\loads and discharge levels to characterise performance

Reporting

 Verbal and written report of the assessment complete with conclusions, recommendations and indicative prices of any required remedial work

2. Support Service

- Asset longevity prediction
- Sampling and monitoring to establish performance
- Refurbish to 'as built'
- Re-engineering to improve performance
- Maintenance
- System operation
- Retrofit with latest technologies to enhance capability

We would be happy discuss any aspects of this service with you and can be contacted at info@armgroupltd.co.uk or telephone on 01889 583811.